Application No.: 10/644,991

Page 2

CLAIMS:

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Canceled)
- 5. (Canceled)
- 6. (Canceled)
- 7. (Canceled)
- 8. (Canceled)
- 9. (Canceled)
- 10. (Canceled)
- 11. (Canceled)
- 12. (Canceled)
- 13. (Canceled)
- 14. (Canceled)
- 15. (Canceled)
- 16. (Canceled)
- 17. (Canceled)
- 18. (Canceled)
- 19. (Previously Presented) A system for assigning information to objects, including teeth, which are specified in one of a digitized X-ray image and a schematic diagram, comprising

Application No.: 10/644,991

Page 3

an input and output device for interactive control of the system,

a storage area, in which the X-ray image or the schematic diagram is placed, object-

labelling information being assigned to the X-ray images or the schematic diagram,

a second storage area, in which information concerning the objects is placed, references

between the objects and the object-labelling information being stored,

a processing unit which controls accepting, deleting, and/or accessing operations in the

storage areas and which manages references, said operations being preferably initiated via

the input device and displayed on the output device.

20. (Previously Presented) A system as defined in claim 19, wherein the output device is

capable of showing the objects optically high-lighted such that the objects can be further

selected in order to retrieve the saved information.

21. (Previously Presented) A system as defined in claim 20, wherein the output device

enables, access to further branched information, if present, when a object is selected.

22. (Previously Presented) A system as defined in claim 19, wherein the second storage

area enables the references to be managed in the form of links positioned either directly near

the object and/or directly near the information and/or to be managed separately.

Application No.: 10/644,991

Page 4

23. (Previously Presented) A system as defined in claim 19, wherein the output device

comprises a visual display unit and the further information is capable of being displayed in

one of an automatically opening display field including a pop-up window and the further

information leads to a new screen build-up.

24. (Previously Presented) A system as defined in claim 23, wherein the further

information comprises one of diagnostic and treatment information and other X-ray images,

including of details.

25. (Previously Presented) A system as defined in claim 19, further comprising a computer

interface to an X-ray apparatus, which transmits, via the computer interface, information in

the form of data for representation as X-ray images, information in the form of data being

deposited in a third storage area and a reference to an object being saved to a fourth storage

area.

26. (Previously Presented) A system as defined in claim 25, wherein the information in the

form of data is capable of being hierarchically arranged over a plurality of levels.

27. (Previously Presented) A system as defined in claim 19, further comprising means

allowing for manual specification of objects by selection of a specific area of the X-ray

image.

Application No.: 10/644,991

Page 5

28. (Previously Presented) A system as defined in claim 19, further comprising a

functionality of a data bank system.

29. (Currently Amended) A system as defined in claim 19, further comprising a system for

identification of objects, including teeth, in a digitized X-ray image, as defined in claim 1

said system for identification of objects comprising means for specifying the areas depicting

the object, using image-processing algorithms, by one of segmenting and edge detection of

the X-ray image, and that these areas are, for further specification of said areas linking,

linked by computation to those image parameters of the X-ray apparatus which are used for

making the X-ray image.

30. (Previously Presented) A method of assigning information to objects, including teeth,

which have been specified in one of a digitized X-ray image and a schematic diagram

representation, comprising

- a first step, in which the one of the digitized X-ray image and the schematic diagram is

made,

- a second step, in which specification of the objects, if not already specified, is carried out

one of manually and automatically,

a third step, in which one of the objects is selected for which further information is to be

saved, accessed, or deleted,

Application No.: 10/644,991

Page 6

- and a fourth step, in which

a) when an interrogation operation is carried out, a reference is followed which has been

deposited in relation to the object, which reference is used to determine what information is

to be shown,

b) when a deleting operation is carried out, a reference is followed which has been deposited

in relation to the object, which reference and/or the information is deleted,

c) when a storage operation is carried out, an object is selected, a storage area for the

information is allocated, and a storage area for the reference is allocated, in order that the

new information and the corresponding reference can be saved to these storage areas.

31. (Currently Amended) A method as defined in claim 31 30, wherein following

specification of the object, data for making digital images are received from the X-ray

apparatus, which data are automatically assigned to the specified object.

32. (Previously Presented) A method as defined in claim 30, wherein the information is in

the form of graphical markings which can be placed over the images as an overlay.

33. (Previously Presented) A method as defined in claim 30, wherein areas of the objects

can be specified to which information can be assigned.

Application No.: 10/644,991

Page 7

34. (Previously Presented) A method as defined in claim 30, wherein pop-up menus relating to the individual objects can be accessed.